

Amendments to the claims:

Please replace all prior versions and listings of the claims with the following amended claims:

Listing of Claims:

- 1 1. (Currently Amended) A device comprising a cleaning head, the cleaning head
2 comprising:
3 a) a first region with a first squeegee element with elongated walls that protrude to
4 form an elongated wiping edge configured to treat a working surface, the first
5 region being configured to move in a first direction; and
6 b) a second region with bristles configured to simultaneously treat the working
7 surface,
8 wherein the second region being is configured to move independently of separately from
9 the first region in a second direction that is different from the first direction.
- 1 2. (Original) The device of claim 1, wherein the second region further comprises a second
2 squeegee element.
- 1 3. (Original) The device of claim 1, wherein the first region further comprises bristles.
- 1 4. (Previously Presented) The device of claim 1, wherein the at least one of the first region
2 and second region is configured to rotate or oscillate.
- 1 5. (Canceled).
- 1 6. (Currently Amended) The device of claim 1, wherein the elongated walls of the first
2 squeegee element ~~comprises a squeegee wall that encircles~~ encircle an inner squeegee
3 region.
- 1 7. (Original) The device of claim 1, wherein the second region comprises a second squeegee
2 element.

- 1 8. (Canceled).
- 1 9. (Canceled).
- 1 10. (Canceled).
- 1 11. (Canceled).
- 1 12. (Currently Amended) A device comprising a motorized cleaning head, the motorized
2 cleaning head comprising:
3 a) a first region configured to automatically move in a first direction, the first region
4 comprising:
5 i. a squeegee member with elongated squeegee walls that protrude to
6 from an elongated wiping edge; and
7 ii. bristles flanking the elongated walls; and
8 b) a second region configured to automatically move in a second direction that is
9 different from the first direction, the second region comprising ~~a portion of the~~
10 bristles.
- 1 13. (Previously Presented) The device of claim 12, wherein the elongated squeegee walls are
2 curved.
- 1 14. (Previously Presented) The device of claim 12, wherein the first region is configured to
2 rotate or oscillate.
- 1 15. (Canceled).
- 1 16. (Previously Presented) The device of claim 12, wherein the elongated squeegee walls
2 encircle at least a portion of the bristles.
- 1 17. (Previously Presented) The device of claim 12, wherein the elongated squeegee walls are
2 surrounded by at least a portion of the bristles.

1 18. (Canceled).

1 19. (Previously Presented) The device of claim 12, wherein the second region is configured to
2 rotate or oscillate.

1 20. (Currently Amended) A cleaning device comprising a detachable cleaning head
2 comprising:

- 3 a) a first section configured to automatically rotate or oscillate while coupled
4 to the motorized handle; and
5 b) a second section surrounding the first section configured to automatically
6 rotate or oscillate while coupled to the motorized handle, wherein the
7 second section is configured to automatically rotate or oscillate at a rate or
8 direction that is different from that of the first section, and wherein both
9 the first and the second sections each comprise ~~bristles~~ a squeegee wiping
10 element.

1 21. (Currently Amended) The device of claim 20, further comprising ~~one or more squeegee~~
2 ~~wiping elements~~ bristles.

1 22. (Canceled).

1 23. (Canceled).

1 24. (Canceled).

1 25. (Currently Amended) A device comprising a cleaning head comprising:

- 2 a) a first wiping region; and
3 b) a second wiping region, wherein the first wiping region surrounds the second
4 wiping region and the first wiping region and the second wiping section are
5 configured to move automatically and separately ~~move independently~~ from each
6 other, wherein at least one of the first wiping region and the second wiping region
7 comprises a squeegee element with elongated walls that protrude to form a top

8 wiping edge and at least one of the first wiping region and the second wiping
9 region comprises bristles.

- 11 26. (Currently Amended) A device comprising a cleaning head, the cleaning head
12 comprising:
13 a) a first region with a first squeegee element with an elongated wiping edge and
14 elongated walls and bristles configured to treat a working surface; and
15 b) a second region that is separate from the first region, the second region
16 comprising with bristles configured to simultaneously treat the working surface;
17 and
18 c) means to couple the cleaning head to a motorized handle that automatically moves
19 the first region relative to the second region.

- 1 27. (Previously Presented) The device of claim 26, wherein the second region further
2 comprises a second squeegee element.

- 1 28. (Currently Amended) A device comprising a cleaning head, the cleaning head
2 comprising:
3 a) a first region with a first squeegee element comprising a continuous wiping edge
4 configured to treat a working surface, the first region being configured to move;
5 and
6 b) a second region with a second squeegee element configured to simultaneously
7 treat the working surface,
8 wherein at least one of the first region and the second region is ~~being~~ configured to
9 automatically move independently and separately of the other of the first region and the
10 second region, while the cleaning head is coupled to a motorized handle.

- 1 29. (Previously Presented) The device of claim 28, wherein the first region further comprises
2 bristles.

- 1 30. (Previously Presented) The device of claim 29, wherein the second region further
2 comprises bristles.

- 1 31. (Currently Amended) An electric toothbrush with a cleaning head, the cleaning head
2 comprising:
3 a) a first region with a continuous squeegee element that encircles a portion of the
4 first region, wherein the first region is coupled to a drive mechanism configured to
5 rotate or oscillate for automatically rotating or oscillating the first region; and
6 b) ~~bristle~~ bristles protruding from a second region that is separate from the first
7 region, wherein the bristles surround surrounding at least a portion ~~first~~ of the
8 continuous squeegee element, and wherein the ~~bristles are~~ second region is
9 configured to rotate or oscillate.
- 1 32. (Previously Presented) The electric toothbrush of claim 31, further comprising bristles
2 protruding from the portion of the first region that is encircled by the continuous squeegee
 element.
- 1 33. (Previously Presented) An electric toothbrush with a cleaning head, the cleaning head
2 comprising:
3 a) a first region with a continuous squeegee element that encircles bristles that
4 protrude from the first region and wherein the first region is configured to rotate
5 or oscillate; and
6 b) a second region configured to automatically move independently from the first
7 region, the second region comprising at least one of a squeegee, bristle tufts and
 nodules.